

- **Vendor: Microsoft**
- **Exam Code: 98-375**
- **Exam Name: HTML5 Application Development Fundamentals**
- **Question 76 -- End**

[Visit PassLeader and Download Full Version 98-375 Exam Dumps](#)

QUESTION 76

Which code fragment will display the Play and Pause controls in the audio interface?

- A. `<audio controls="controls">`
- B. `<audio preload="controls">`
- C. `<audio preload="auto">`
- D. `<audio autoplay="autoplay">`

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Answer: A

QUESTION 77

You write the following code. (Line numbers are included for reference only.)

```
01 <html>
02   <style>
03     #animUpStyle{
04 -ms-animation-name: moveUp;
05 -ms-animation-duration: 5s;
06 width: 400px;
07 height: 50px;
08 position: relative;
09 left: 0px;
10 top: 0px;
11   }
12   @-ms-keyframes moveUp {
13     ...
14   100% {
15     top: 0px;
16   }
17   }
18 </style>
19 <body>
20 <text id="animUpStyle">Going Up!</text>
21 </body>
22 </html>
```

You need to make the text animate up the screen from a starting position of 400 pixels. Which CSS code fragment should you insert at line 13?

- A.

```
100% {
  top: 400px;
}
```
- B.

```
0% {
  top: 0px;
}
```
- C.

```
0% {
  top: 400px;
}
```
- D.

```
50% {
  top: 200px;
}
```

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Answer: C

QUESTION 78

Which code fragment prepares the HTML5 application to be used offline?

- A. `<!DOCTYPE html>`
- B. `<html manifest="app.appcache">`
- C. `<html xmlns="http://www.w3.org/1999/xhtml">`
- D. `<html lang="en">`

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Answer: B

QUESTION 79

You need to retrieve a value from local storage by using the key "aardvark." Which code fragment should you use?

- A. `var value=localStorage.getItem("aardvark");`
- B. `var value=localStorage.key("aardvark");`
- C. `var value=localStorage.setItem("aardvark");`
- D. `localStorage.setItem("aardvark",value);`

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Answer: A

QUESTION 80

What value does the following JavaScript code fragment store into the variable num?
`var num = localStorage.length;`

- A. maximum length of a character string
- B. potential capacity of local storage

- C. number of bytes available in local storage
- D. number of key-value pairs in local storage

Answer: D

QUESTION 81

Which two touch gestures require a multi-touch device? (Choose two.)

- A. hold
- B. tap
- C. pinch
- D. spread

Answer:

[Visit PassLeader and Download Full Version 98-375 Exam Dumps](#)