

- **Vendor: Citrix**
- **Exam Code: 1Y0-253**
- **Exam Name: Implementing Citrix NetScaler 10.5 for App and Desktop Solutions**
- **Question 91 -- Question 120**

### [Visit PassLeader and Download Full Version 1Y0-253 Exam Dumps](#)

#### **QUESTION 91**

A Citrix Administrator would like to use an existing monitor script included in NetScaler for load balancing TFTP services in a Provisioning Services deployment. Which monitor type should the administrator choose in order to complete the task?

- A. ARP
- B. USER
- C. TCP-ECV
- D. UDP-ECV

**Answer: B**

#### **QUESTION 92**

What should a Citrix Administrator configure in a session profile so that users are able to use WorxWeb on their mobile devices?

- A. SSL VPN
- B. ICA Proxy
- C. Secure Browse
- D. Clientless Access

**Answer: C**

#### **QUESTION 93**

Scenario: A Citrix Administrator configured the following preauthentication policies for NetScaler Gateway.

```
Priority 20 Policy2 bound to virtual server
Priority 10 Policy1 bound to AAA Global
Priority 10 Policy3 bound to virtual server
Priority 20 Policy4 bound to AAA Global
```

In which order are the policies applied?

- A. Policy2, Policy3, Policy1, Policy4
- B. Policy1, Policy2, Policy3, Policy4
- C. Policy4, Policy2, Policy1, Policy3
- D. Policy3, Policy1, Policy4, Policy2

**Answer: C**

**QUESTION 94**

HDX Insight is used in a 500-user organization that has a single datacenter location with a single Internet service provider. Which form of Citrix NetScaler redundancy should a Citrix Administrator implement?

- A. LACP
- B. VRRP
- C. Clustering
- D. High availability

**Answer: D**

**QUESTION 95**

Which command can a Citrix Administrator use to see a specific auditing Syslog policy binding?

- A. show log
- B. show audit
- C. show syslog
- D. show attribute

**Answer: B**

**QUESTION 96**

A Citrix Administrator would like to use TCP Profiles to optimize NetScaler Gateway for ICA Access without affecting other load balanced traffic. The administrator should use the \_\_\_\_ and bind it \_\_\_\_\_. (Choose the correct option to complete the sentence.)

- A. nstcp\_default\_profile; globally
- B. nstcp\_default\_XA\_XD\_profile; globally
- C. nstcp\_default\_profile; to the NetScaler Gateway virtual server
- D. nstcp\_default\_XA\_XD\_profile; to the NetScaler Gateway virtual server

**Answer: D**

**QUESTION 97**

What is a valid command that a Citrix Administrator can run at the command-line interface to reconfigure the NetScaler IP address?

- A. set ns ip
- B. config ns
- C. add ns ip
- D. add ipset

**Answer: B**

**QUESTION 98**

A Citrix Administrator needs to set up two-factor authentication on NetScaler Gateway for mobile devices. Which two actions should the administrator take to allow users to log on using mobile devices? (Choose two.)

- A. Create a pre-authentication policy
- B. Create a RADIUS authentication policy

- C. Bind the LDAP policy for primary authentication
- D. Bind the RADIUS policy for primary authentication
- E. Bind the RADIUS policy for secondary authentication

**Answer: BD**

**QUESTION 99**

Scenario: While troubleshooting a license issue on NetScaler, a Citrix Administrator notes the following entry as the root cause:

"1:47:12 (CITRIX) SERVER line says HOSTNAME=cag, hostid is HOSTNAME=ns"  
In which file would the administrator modify the hostname to resolve this issue?

- A. rc.conf
- B. ns.conf
- C. auth.log
- D. aaad.debug

**Answer: A**

**QUESTION 100**

Which tool can be used by a Citrix Administrator, when using the NetScaler Configuration Utility, to collect troubleshooting information to provide to Citrix Technical Support?

- A. Get Back Trace
- B. Download core files
- C. Download trace files
- D. Generate support file

**Answer: B**

**QUESTION 101**

Which script should a Citrix Administrator use when creating an Active Directory load balance monitor through the NetScaler?

- A. nsldap.pl
- B. nssnmp.pl
- C. nsntlm-lwp.pl
- D. nsbmradius.pl

**Answer: A**

**QUESTION 102**

Which port exchanges high availability heartbeats?

- A. TCP 80
- B. TCP 443
- C. TCP 3003
- D. UDP 3003

**Answer: D**

**QUESTION 103**

Scenario: A Citrix Administrator has configured NTP Time Servers in the Citrix NetScaler configuration. However, the time is NOT in sync with the NTP Time servers. The addresses of the servers have been verified. What could be causing this issue?

- A. NTP Synchronization state is disabled.
- B. NTP Authentication is NOT configured.
- C. NTP Server Auto Key is NOT configured.
- D. No NTP server is "Set as preferred NTP server".

**Answer: A**

**QUESTION 104**

Which command is used to verify the authentication process?

- A. show aaa user
- B. show aaa stats
- C. cat aaad.debug
- D. set aaa ldapParams

**Answer: C**

**QUESTION 105**

Which two commands, when run at the command-line interface by a Citrix Administrator, can display interfaces configured for high availability monitoring? (Choose two.)

- A. show node
- B. show status
- C. show monitor
- D. show interface
- E. show hardware

**Answer: AD**

**QUESTION 106**

Which two steps must a Citrix Administrator complete to set up an SSL VPN virtual server? (Choose two.)

- A. Bind a session policy.
- B. Install a certificate-key pair.
- C. Bind a certificate-key pair to the virtual server.
- D. Configure a Secure Ticketing Authority server.

**Answer: BC**

**QUESTION 107**

A Citrix Administrator needs to configure a production website to show a custom message when the virtual server is in a down state. Which NetScaler function or feature should the administrator use in order to meet this requirement?

- A. Rewrite
- B. Redirect URL
- C. Content Switching

D. Spillover Backup Action

**Answer: B**

**QUESTION 108**

Which log file should a Citrix Administrator use to troubleshoot a cluster node in the INACTIVE state?

- A. ns.log
- B. http.log
- C. auth.log
- D. nscollect.log

**Answer: A**

**QUESTION 109**

In an effort to troubleshoot NetScaler Gateway, a Citrix Administrator needs to capture packets to validate basic traffic flow (IP and port information). What would the administrator choose to begin collecting data to evaluate under Technical Support Tools using the NetScaler Configuration Utility?

- A. Call Home
- B. Get back trace
- C. Start new trace
- D. Generate support file

**Answer: C**

**QUESTION 110**

A security policy at a company requires all URLs to be encrypted when accessing the backend server through NetScaler Gateway. Which step should a Citrix Administrator take to meet this company policy?

- A. Enable SSL Offload.
- B. Configure SSL Bridge.
- C. Enable Cipher Redirect.
- D. Configure Clientless Access URL Encoding.

**Answer: D**

**QUESTION 111**

Which two ports must a Citrix Administrator open on an internal firewall to allow users to launch desktops through the NetScaler Gateway from a Citrix XenDesktop environment in which session reliability is enabled? (Choose two.)

- A. 80
- B. 443
- C. 1494
- D. 2598
- E. 3001

**Answer: CD**

**QUESTION 112**

Which protocol should be used to configure a secure LDAP virtual server for a NetScaler Gateway deployment?

- A. SSL
- B. DTLS
- C. SSL\_TCP
- D. SSL\_BRIDGE

**Answer: C**

**QUESTION 113**

A Citrix Administrator needs to shorten the URL for users to connect to a StoreFront website without knowing the store name. Which policy should the administrator use to accomplish this requirement?

- A. Rewrite
- B. AppQoE
- C. Spillover
- D. Responder

**Answer: A**

**QUESTION 114**

Scenario: A Citrix Administrator has customized some NetScaler configuration files. The administrator now plans on upgrading the NetScaler Gateway from NetScaler 10.1 to NetScaler 10.5. What should the administrator do prior to the upgrade to avoid losing the customizations?

- A. Backup the ns.conf file.
- B. Backup the files in the /var/netscaler directory.
- C. Move the customized files to a backup directory.
- D. Move the customized files to the /nsconfig directory.

**Answer: C**

**QUESTION 115**

Scenario: A Citrix Administrator is required to set up SSL Offloading for all virtual servers. External communication will come in as HTTPS traffic. Communication from the NetScaler to backend web servers will be over HTTP. In which two ways can the administrator set the protocol to meet the requirements? (Choose two.)

- A. Service Type. SSL
- B. Service Type. TCP
- C. Service Type. HTTP
- D. Virtual Server Type. SSL
- E. Virtual Server Type. HTTP
- F. Virtual Server Type. SSL\_TCP

**Answer: CD**

**QUESTION 116**

After performing an upgrade on a high availability pair, a Citrix Administrator notices that all of the virtual servers are down on the secondary appliance. Which two commands can the administrator

use to resolve this issue? (Choose two.)

- A. show ha node
- B. sync ha files all
- C. force ha failover
- D. set ha node -hasync enable
- E. set ha node -hastatus enable

**Answer: DE**

**QUESTION 117**

Scenario: A NetScaler Gateway is configured to use RADIUS for authentication. A Citrix Administrator needs to know which NetScaler IP (NSIP) address is used for outgoing RADIUS traffic. How can the administrator verify which NSIP is used?

- A. Check the ns.log file.
- B. Use the ping command.
- C. Check the messages log file.
- D. Use the nstcpdump.sh command.

**Answer: D**

**QUESTION 118**

Scenario: A Citrix Administrator is configuring RADIUS as a two-factor authentication solution on the NetScaler. While testing the configuration the administrator observes that there are no incoming RADIUS requests. To resolve this issue, the administrator should change the setting of the "RADIUS client IP address" to the \_\_\_\_ address. (Choose the correct option to complete the sentence.)

- A. Virtual IP (VIP)
- B. Client IP (CIP)
- C. NetScaler IP (NSIP)
- D. Global Server Load Balancing IP (GSLB IP)

**Answer: C**

**QUESTION 119**

While debugging the NetScaler Gateway authentication to Active Directory, a Citrix Administrator notices the "Groups Allowed To Login" option is preventing intended users from accessing the site. Which NetScaler Gateway policy area should be reviewed?

- A. Auditing
- B. Session
- C. Authentication
- D. Preauthentication

**Answer: B**

**QUESTION 120**

Where can the license.log file be found in the NetScaler folder structure?

- A. /var/log

- B. /var/netscaler
- C. /var/nsproflog
- D. /var/netscaler/help

**Answer: A**

[Visit PassLeader and Download Full Version 1Y0-253 Exam Dumps](#)